



KTEMR03

LED-Panel SLIMFLUX BL UGR BASIC 155mm
IP20

Deklaration

Herkunftsland	P.R.C.
EAN Überverpackung	8011905781866
Taric Code	85129090
Fertigungsnormen	CEI EN 55015:2020 (A11:2020) CEI EN 61000-3-2:2019 (A1:2021) CEI EN 61000-3-3:2014 (EC1:2014/ EC2:2016/ A1:2021/ A2:2022) CEI EN 61347-1:2016 (A1:2021) CEI EN 61347-2-13:2015 (A1:2018) CEI EN 61547:2010
Lebensdauer [h]	25000
Produkt Typ	Leuchtenzubehör

Abmessung und Body

Länge[mm]	155 mm
Breite [mm]	51 mm



Abmessung und Body

Höhe[mm]	26 mm
IP Schutzart	20
Gewicht [kg]	0.47
Überversackung [Stück]	10
Fassung	Anschlussklemme
Schutzklasse	II

Lichttechnische Daten

Lichtstromrückgang	L70B50
--------------------	--------


Elektrische Daten

Frequenz	50 Hz
Spannung [Volt]	220-240 Vac

Sonstige technische Daten

Betriebstemperatur	-25°C / 35°C
--------------------	--------------

Grafiken



Downloads

INSTALLATIONSHINWEIS



KTEMR03

LED-Panel SLIMFLUX BL UGR BASIC I55mm IP20





SPRS GmbH
Stelzhamerstraße 6, 4053 Haid bei Ansfelden, Österreich
office@sprs.co
FN 480345 s | UID ATU72691937